





## Stylus tip for contour measuring systems





### Tips suitable for Mahr systems

order-no.	specification		Price in €	Price per unit in€ 10 pieces and more
<b>100.400</b> <b>100.400-CS</b> <b>ceramic</b>	<b>tip 59,5 mm, tungsten/ceramic</b> (compatible with Mahr 6851517)  length: 59,5 mm diameter: 3,5 h7 radius 25 µm angle: 12°		<b>137,00</b> <b>137,00</b>	<b>130,15</b> <b>130,15</b>
<b>100.401</b> <b>100.401-CS</b> <b>ceramic</b>	<b>tip 33 mm, tungsten/ceramic</b> (compatible with Mahr 6850286)  length: 33 mm diameter: 3,5 h7 radius 25 µm angle: 12°		<b>123,00</b> <b>123,00</b>	<b>116,85</b> <b>116,85</b>
<b>100.402</b> <b>100.402-CS</b> <b>ceramic</b>	<b>tip 20,5 mm, tungsten/ceramic</b> (compatible with Mahr 6850289)  length: 20,5 mm diameter: 3,5 h7 radius 25 µm angle: 12°		<b>117,00</b> <b>117,00</b>	<b>111,15</b> <b>111,15</b>
<b>100.403</b> <b>100.403-CS</b> <b>ceramic</b>	<b>tip 6 mm, tungsten/ceramic</b> (compatible with Mahr 6851518 et 6851527)  length: 6 mm diameter: 1,0 h7 radius 25 µm angle: 19°		<b>114,00</b> <b>114,00</b>	<b>108,30</b> <b>108,30</b>
<b>100.403-1</b>	<b>Fixing the tip # 100.403 into the tracing arm</b> (therefore, please send us your tracing arm)			<b>18,50</b>

Dimensions in mm; all pictures digrammatical

- According to your wishes we produce special stylus tips, as well as stylus tips of other producers
- Prices for other quantities on request

## Tips suitable for Mahr systems



Order-no.	Specification	Price in €	Price per unit in€ 10 pieces and more
<b>100.404</b>	<b>tip 4,5 mm, tungsten;</b> for Mahr systems  length: 4,5 mm diameter: 1,0 h7 radius: 25 µm angle: 19° 	<b>114,00</b>	<b>108,30</b>
<b>100.404-1</b>	<b>Fixing the tip # 100.404 into the tracing arm</b> (therefore, please send us your tracing arm)		<b>18,50</b>
<b>100.405</b>	<b>tip 2,5 mm, tungsten;</b> for Mahr systems  length: 2,5 mm diameter: 0,5 h7 radius: 25 µm angle: 19° 	<b>172,00</b>	<b>163,40</b>
<b>100.405-1</b>	<b>Fixing the tip # 100.405 into the tracing arm</b> (therefore, please send us your tracing arm)		<b>18,50</b>
<b>100.411</b>	<b>tip 33 mm, tungsten;</b> conical with diamond tip (for Mahr systems)  length: 33 mm diameter: 3,5 h7 Radius: 25 µm angle: 30° 	<b>495,00</b>	<b>470,26</b>
<b>100.406</b>	<b>tip 59,5 mm, tungsten,</b> conical for Mahr systems;  length: 59,5 mm diameter: 3,5 h7 radius: 25 µm angle: 24° 	<b>187,00</b>	<b>176,70</b>

Dimensions in mm; all pictures digrammatical

- According to your wishes we produce special stylus tips, as well as stylus tips of other producers
- Prices for other quantities on request

### Tips suitable for Mahr systems

Order-no.	Specification	Price in €	Price per unit in€ 10 pieces and more
100.407	<b>tip 33 mm, tungsten;</b> conical for Mahr systems  length: 33 mm diameter: 3,5 h7 radius: 25 µm angle: 24°	173,00	164,35
100.408	<b>tip 20,5 mm, tungsten;</b> conical for Mahr systems  length: 20,5 mm diameter: 3,5 h7 radius: 25 µm angle: 24°	166,00	157,00



Dimensions in mm; all pictures digrammatical

- According to your wishes we produce special stylus tips, as well as stylus tips of other producers
- Prices for other quantities on request

## Tips suitable for Hommel systems

Order-no.	Specification	Price in €	Price per unit in€ 10 pieces and more
<b>100.500</b> <b>100.500-CS</b> <b>ceramic</b>	<b>tip 52 mm, tungsten/ceramic</b> (compatible withHommel 232633)  length: 52 mm diameter: 3,0 h7 radius: 20 µm angle: 11°	<b>112,00</b> <b>112,00</b>	<b>106,40</b> <b>106,40</b>
<b>100.508</b> <b>100.508-CS</b> <b>ceramic</b>	<b>tip 42 mm, tungsten/ceramic</b> (compatible withHommel 232586)  length: 42 mm diameter: 3,0 h7 radius: 20 µm angle: 11°	<b>111,00</b> <b>110,00</b>	<b>105,45</b> <b>105,45</b>
<b>100.501</b> <b>100.501-CS</b> <b>ceramic</b>	<b>tip 32 mm, tungsten/ceramic</b> (compatible withHommel 284039)  length: 32 mm diameter: 3,0 h7 radius: 20 µm angle: 11°	<b>110,00</b> <b>110,00</b>	<b>104,50</b> <b>104,50</b>
<b>100.502</b> <b>100.502-CS</b> <b>ceramic</b>	<b>Tip 21 mm, tungsten/ceramic</b> for Hommel systems  length: 21 mm diameter: 3,0 h7 radius: 20 µm angle: 11°	<b>108,00</b> <b>108,00</b>	<b>102,60</b> <b>102,60</b>
<b>100.503</b> <b>100.503-CS</b> <b>ceramic</b>	<b>tip 6 mm, tungsten/ceramic</b> for Hommel systems  length: 6,0 mm diameter: 1 h7 radius: 20 µm angle: 22°	<b>114,00</b> <b>114,00</b>	<b>108,30</b> <b>108,30</b>
<b>100.503-1</b>	<b>Fixing the tip # 100.503 into the tracing arm</b> (therefore, please send us your tracing arm)		<b>18,50</b>

Dimensions in mm; all pictures digrammatical

- According to your wishes we produce special stylus tips, as well as stylus tips of other producers
- Prices for other quantities on request



## Tips suitable for Hommel systems

Order-no.	Specification	Price in €	Price per unit in€ 10 pieces and more
<b>100.506</b>	<b>tip 52 mm</b> , tungsten conical for Hommel systems  length: 52 mm diameter: 3,0 h7 radius: 20 µm angle: 30°	<b>153,00</b>	<b>145,35</b>
<b>100.507</b>	<b>tip 32 mm</b> , tungsten conical, for Hommel systems  length: 32 mm diameter: 3,0 h7 radius: 20 µm angle: 30°	<b>139,00</b>	<b>132,05</b>
<b>100.504</b>	<b>tip 20 mm</b> , tungsten conical; for Hommel systems  length: 20 mm diameter: 1,0 h7 radius: 10 µm angle: 30°	<b>127,00</b>	<b>120,65</b>
<b>100.504-1</b>	<b>Fixing the tip # 100.504 into the tracing arm</b> (therefore, please send us your tracing arm)		<b>18,50</b>
<b>100.511</b>	<b>tip 32 mm</b> , tungsten conical with diamond tip  length: 32 mm diameter: 3,0 h7 radius: 20 µm angle: 30°	<b>495,00</b>	<b>470,25</b>
<b>100.505</b>	<b>tip 2,5mm</b> , tungsten; suitable for Hommel systems  length: 2,5 mm diameter: 0,5 h7 radius: 20 µm angle: 12°	<b>149,00</b>	<b>141,55</b>
<b>100.505-1</b>	<b>Fixing the tip # 100.505 into the tracing arm</b> (therefore, please send us your tracing arm)		<b>18,50</b>

Dimensions in mm; all pictures digrammatical

- According to your wishes we produce special stylus tips, as well as stylus tips of other producers
- Prices for other quantities on request






**Tips suitable for Taylor Hobson systems**

Order-no.	Specification	Price in €	Price per unit in€ 10 pieces and more
<p><b>100.701</b></p>	<p><b>tip 26,7 mm</b>, tungsten; for Taylor Hobson systems (compatible with 232633)</p> <p>length: 26,7 mm diameter: 1,6 h7 radius: 20 µm angle: 15°</p> 	<p><b>121,00</b></p>	<p><b>114,95</b></p>
<p><b>100.707</b></p>	<p><b>tip 26,7 mm</b>, tungsten conical for Taylor Hobson systems</p> <p>length 26,7 mm diameter: 1,6 h7 radius: 10 µm angle: 30°</p> 	<p><b>128,00</b></p>	<p><b>121,60</b></p>

Dimensions in mm; all pictures digrammatical

- According to your wishes we produce special stylus tips, as well as stylus tips of other producers
- Prices for other quantities on request





**Tips suitable for Zeiss systems**

Order-no.	Specification		Price in €	Price per unit in€ 10 pieces and more
<b>100.600</b>	<b>tip 60 mm, tungsten</b> (compatible with Zeiss DT 45501)  length: 60 mm diameter: 3,0 h7 radius: 25 µm angle: 11°		<b>118,00</b>	<b>112,10</b>
<b>100.601</b> <b>100.601-CS</b> <b>ceramic</b>	<b>tip 34 mm, tungsten/ceramic</b> (compatible with Zeiss DT 45502)  length: 34 mm diameter: 3,0 h7 radius: 25 µm angle: 11°		<b>116,00</b> <b>116,00</b>	<b>110,20</b> <b>110,20</b>
<b>100.602</b>	<b>tip 21 mm, tungsten</b> (compatible with Zeiss DT 45503)  length: 21 mm diameter: 3,0 h7 radius: 25 µm angle: 11°		<b>114,00</b>	<b>108,30</b>
<b>100.606</b>	<b>tip 60 mm, tungsten; conical</b> (compatible with Zeiss DT 45504)  length: 60 mm diameter: 3,0 h7 radius: 25 µm angle: 24°		<b>126,00</b>	<b>119,70</b>
<b>100.607</b>	<b>tip 34 mm, tungsten; conical</b> (compatible with Zeiss DT 45505)  length: 34 mm diameter: 3,0 h7 radius: 25 µm angle: 24°		<b>124,00</b>	<b>117,80</b>

Dimensions in mm; all pictures digrammatical

- According to your wishes we produce special stylus tips, as well as stylus tips of other producers
- Prices for other quantities on request



## Tips suitable for Zeiss systems

Order-no.	Specification		Price in	Price per unit in 10 pieces and more
<b>100.608</b>	<b>tip 21 mm</b> , tungsten; (compatible with Zeiss DT 45501)  length: 21 mm diameter: 3,0 h7 radius: 25 µm angle: 11°		<b>122,00</b>	<b>115,90</b>
<b>100.603</b>	<b>tip 12 mm</b> , tungsten; (compatible with DT 45510 / DT 45081)  length: 12 mm diameter: 2,0 h7 radius: 25 µm angle: 12°		<b>112,00</b>	<b>106,40</b>
<b>100.603-1</b>	<b>Fixing the tip # 100.603 into the tracing arm</b> (therefore, please send us your tracing arm)			<b>18,50</b>
<b>100.604</b>	<b>tip 8 mm</b> , tungsten; (compatible with DT 45511 / DT 45082)  length: 8 mm diameter: 1,2 h7 radius: 25 µm angle: 12°		<b>110,00</b>	<b>104,50</b>
<b>100.604-1</b>	<b>Fixing the tip # 100.604 into the tracing arm</b> (therefore, please send us your tracing arm)			<b>18,50</b>
<b>100.605</b>	<b>tip 4,5 mm</b> ; tungsten; (compatible with DT 45512 / DT 45083)  Length: 4,5 mm Diameter:: 0,8 h7 Radius 25 µm Winkel 12°		<b>138,00</b>	<b>131,10</b>
<b>100.605-1</b>	<b>Fixing the tip # 100.605 into the tracing arm</b> (therefore, please send us your tracing arm)			<b>18,50</b>

Dimensions in mm; all pictures digrammatical

- According to your wishes we produce special stylus tips, as well as stylus tips of other producers
- Prices for other quantities on request






**Tips suitable for Zeiss systems**

Order-no.	Specification	Price in €	Price per unit in€ 10 pieces and more
<b>100.609</b>	<p><b>tip 12 mm</b>, tungsten; conical; (compatible withDT 45513 / DT 45084)</p> <p>length: 12 mm diameter: 2,0 h7 radius: 25 µm angle: 24°</p> 	<b>118,00</b>	<b>112,10</b>
<b>100.609-1</b>	<b>Fixing the tip # 100.609 into the tracing arm</b> (therefore, please send us your tracing arm)		<b>18,50</b>
<b>100.610</b>	<p><b>tip 4,5 mm</b>; tungsten; conical; (compatible withZeiss DT 45515)</p> <p>length: 4,5 mm diameter: 0,8 h7 radius: 25 µm angle: 24°</p> 	<b>145,00</b>	<b>137,75</b>
<b>100.610-1</b>	<b>Fixing the tip # 100.610 into the tracing arm</b> (therefore, please send us your tracing arm)		<b>18,50</b>

Dimensions in mm; all pictures digrammatical

- According to your wishes we produce special stylus tips, as well as stylus tips of otherproducer
- Prices for other quantities on request






## Tips suitable for Mitutoyo systems

Order-no.	Specification		Price in €	Price per unit in€ 10 pieces and more
<b>100.800</b>	<b>tip 50 mm</b> , tungsten; (compatible with Mitutoyo 354886)  length: 50 mm diameter: 3,0 h7 radius: 25 µm angle: 11°		<b>122,00</b>	<b>120,65</b>
<b>100.801</b>	<b>tip 38 mm</b> , tungsten; (compatible with Mitutoyo 354885)  length: 38 mm diameter: 3,0 h7 radius: 25 µm angle: 11°		<b>120,00</b>	<b>110,20</b>
<b>100.802</b> <b>100.802-CS</b> <b>ceramic</b>	<b>tip 28 mm</b> , tungsten/ceramic; (compatible with Mitutoyo 354884)  length: 28 mm diameter: 3,0 h7 radius: 25 µm angle: 11°		<b>118,00</b> <b>118,00</b>	<b>110,20</b> <b>110,20</b>
<b>100.803</b> <b>100.803-CS</b> <b>ceramic</b>	<b>tip 20 mm</b> , tungsten/ceramic; (compatible with Mitutoyo 354883)  length: 20 mm diameter: 3,0 h7 radius: 25 µm angle: 11°		<b>90,00</b> <b>90,00</b>	<b>85,50</b> <b>85,50</b>
<b>100.804</b>	<b>tip 14 mm</b> , tungsten; (compatible with Mitutoyo 354882)  length: 14 mm diameter: 3,0 h7 radius: 25 µm angle: 11°		<b>88,00</b>	<b>83,60</b>

Dimensions in mm; all pictures digrammatical

- According to your wishes we produce special stylus tips, as well as stylus tips of other producers
- Prices for other quantities on request

**Tips suitable for Mitutoyo systems**

Order-no.	Specification		Price in €	Price per unit in€ 10 pieces and more
100.806	<b>tip 50 mm</b> , tungsten; conical; suitable for Mitutoyo systems  length: 50 mm diameter: 3,0 h7 radius: 25 µm angle: 24°		127,00	120,65
100.807	<b>tip 38 mm</b> , tungsten; conical; suitable for Mitutoyo systems  length: 38 mm diameter: 3,0 h7 radius: 25 µm angle: 24°		125,00	118,75
100.808	<b>tip 28 mm</b> , tungsten; conical; suitable for Mitutoyo systems  length: 28 mm diameter: 3,0 h7 radius: 25 µm angle: 24°		118,00	112,10
100.809	<b>tip 20 mm</b> ; tungsten; conical suitable for Mitutoyo systems  length: 20 mm diameter: 3,0 h7 radius: 25 µm angle: 24°		100,00	95,00
100.810	<b>tip 14 mm</b> ; tungsten; suitable for Mitutoyo systems  length: 14 mm diameter: 3,0 h7 radius: 25 µm angle: 24°		98,00	93,10

Dimensions in mm; all pictures digrammatical

- According to your wishes we produce special stylus tips, as well as stylus tips of other producers
- Prices for other quantities on request